

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	16	"309333"	US-PGPUB; USPAT	OR	OFF	2007/08/18 13:23
S2	11	(sender client) near2 (id identi\$5) with (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2007/08/16 15:28
S3	7	"650837"	US-PGPUB; USPAT	OR	ON	2007/08/18 16:37
S4	58	(printer near3 (setting attribute)) near5 user with server	US-PGPUB; USPAT	OR	ON	2007/08/18 13:27
S5	43	(printer near4 (download\$ retriev\$ receiv\$) near4 (setting attribute)) with server	US-PGPUB; USPAT	OR	ON	2007/08/18 13:48
S6	7	"358"/.ccs. and (email "e-mail") near5 (room floor)	US-PGPUB; USPAT	OR	ON	2007/08/18 13:54
S7	11	"358"/.ccs. and (email "e-mail") near8 (room floor)	US-PGPUB; USPAT	OR	ON	2007/08/18 13:57
S8	4	S7 not S6	US-PGPUB; USPAT	OR	ON	2007/08/18 13:54
S9	6	print\$ with (email "e-mail") near8 (room floor) near2 (number)	US-PGPUB; USPAT	OR	ON	2007/08/18 13:59
S10	7	print\$ with (user) near8 (room floor) near2 (number)	US-PGPUB; USPAT	OR	ON	2007/08/18 14:05
S11	249	print\$ near8 (room floor) near2 (number)	US-PGPUB; USPAT	OR	ON	2007/08/18 14:15
S12	2	S11 with database	US-PGPUB; USPAT	OR	ON	2007/08/18 14:07
S13	1	print\$ near8 (room floor) near2 (number) with client	US-PGPUB; USPAT	OR	ON	2007/08/18 14:17
S14	0	print\$ near8 (room floor) near2 (number) with sender	US-PGPUB; USPAT	OR	ON	2007/08/18 14:17
S15	36	print\$ near8 (location) near3 sender	US-PGPUB; USPAT	OR	ON	2007/08/18 14:19
S16	42	ip near2 address with (room floor) near2 number	US-PGPUB; USPAT	OR	ON	2007/08/18 15:38
S17	0	display\$ near3 (fax printer) near4 (room floor) near2 (number)	US-PGPUB; USPAT	OR	ON	2007/08/18 15:38
S18	4	display\$ with (fax printer) near4 (room floor) near2 (number)	US-PGPUB; USPAT	OR	ON	2007/08/18 15:39
S19	7	location near8 (fax printer) near4 (room floor) near2 (number)	US-PGPUB; USPAT	OR	ON	2007/08/18 15:39
S20	7	S19 not S18	US-PGPUB; USPAT	OR	ON	2007/08/18 15:39
S21	4	"358"/.ccs. and (identi\$ near3 (sender) with ip near2 address)	US-PGPUB; USPAT	OR	ON	2007/08/18 16:38
S22	1896	(web near2 server) with (printer (printing near device))	US-PGPUB; USPAT	OR	ON	2007/08/20 09:17

S23	161	(web near2 server near4 embedded) with (printer (printing near device))	US-PGPUB; USPAT	OR	ON	2007/08/20 09:21
S24	112	S23 and (fax facsimile)	US-PGPUB; USPAT	OR	ON	2007/08/20 09:21
S25	303	(sender client user) near2 (id identi\$5 name) with (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 08:52
S26	30	(sender client) near2 (id identi\$5 name) with (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 08:52
S27	2604	(identi\$5 near2 (client sender user) near8 (ip near2 address))	US-PGPUB; USPAT	OR	ON	2008/09/10 09:21
S28	102	(identi\$5 near2 (client sender user) near8 (ip near2 address) with (email e\$mail\$3))	US-PGPUB; USPAT	OR	ON	2008/09/10 09:21
S29	9	(sender client) near2 (ip) with (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 09:27
S30	9	(user) near2 (ip) with (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 09:28
S31	10	(host) near2 (ip) with (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 09:29
S32	162	(address) near2 (ip) with (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 09:37
S33	10	(address) near2 (ip) with (modifi\$5 chang\$5) near2 (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 09:37
S34	3	(address) near2 (ip) with (modifi\$5 chang\$5) near2 (print\$5 near3 (mode))	US-PGPUB; USPAT	OR	ON	2008/09/10 09:40
S35	16	(address) near2 (ip) with (configur\$5 reconfigur\$4 determin\$ decid\$5) near5 (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 09:42
S36	130	(address) near2 (ip) near10 (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 09:45
S37	24	(sender client user) near3 (id identi\$5 name) with (reconfigur\$ configur\$5 modifi\$5 chang\$5) near3 (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 10:02
S38	2	(address) near2 (mac) with (configur\$5 reconfigur\$4 determin\$ decid\$5) near5 (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 10:06
S39	26	(address) near2 (mac) with (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 10:07
S40	27	(sender client) near2 (id identi\$5 name) with (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 10:16
S41	130	(address) near2 (ip) near10 (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 10:19
S42	14	(address) near2 (ip) near10 (print\$5 near3 (setting attribute)) with print\$3 near2 job	US-PGPUB; USPAT	OR	ON	2008/09/10 10:19

S43	1	("20040201860").PN.	US-PGPUB; USPAT	OR	OFF	2008/09/10 10:43
S44	298	(sender client user) near2 (job) with (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 10:46
S45	429	(sender client user) near3 (job) with (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 10:46
S46	5	(sender client user) near3 (job) with (print\$5 near3 (setting attribute)) with address	US-PGPUB; USPAT	OR	ON	2008/09/10 10:47
S47	85	(sender client user) near3 (job) with (print\$5 near3 (setting attribute)) near3 (modif\$5 chang\$ reconfigur\$ configur\$ determin\$5)	US-PGPUB; USPAT	OR	ON	2008/09/10 10:48
S48	1	("6574028").PN.	USPAT	OR	OFF	2008/09/10 11:07
S49	4	(sender client user) near3 (address) with (reconfigur\$ configur\$ modif\$5 chang\$5) near3 (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 11:17
S50	55	(sender client user) near3 (address) with (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 11:18
S51	25	(user near2 profile near2 print\$5 near2 setting)	US-PGPUB; USPAT	OR	ON	2008/09/10 11:47
S52	1	("6233414").PN.	USPAT	OR	OFF	2008/09/10 11:50
S53	8	("6233414").URPN.	USPAT	OR	OFF	2008/09/10 11:53
S54	2	("7209250").URPN.	USPAT	OR	OFF	2008/09/10 11:53
S55	1214	(user near2 print\$5 near2 setting)	US-PGPUB; USPAT	OR	ON	2008/09/10 11:57
S56	2	(user near2 print\$5 near2 setting) with (reconfigur\$ configur\$4 modif \$5) with print\$5 near2 job	US-PGPUB; USPAT	OR	ON	2008/09/10 11:57
S57	60	(user near2 print\$5 near2 setting) with (reconfigur\$ configur\$4 modif \$5)	US-PGPUB; USPAT	OR	ON	2008/09/10 12:02
S58	45	(user near2 print\$5 near2 setting) near5 (reconfigur\$ configur\$4 modif \$5)	US-PGPUB; USPAT	OR	ON	2008/09/10 12:02
S59	85	(address) near2 (ip) with (configur\$5 reconfigur\$4 determin\$5 decid\$5) near5 (device\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 12:07
S60	2	(address) near2 (ip) with (adjust\$5) near5 (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 12:14
S61	22	(host) near2 (id identi\$5 name) with (print\$5 near3 (setting attribute))	US-PGPUB; USPAT	OR	ON	2008/09/10 12:16
S62	12	(print near2 job) near2 (includ\$5 having) near2 user near2 (id identific \$5)	US-PGPUB; USPAT	OR	ON	2008/09/10 12:39
S63	1	(print near2 job) near2 (includ\$5 having) near2 sender near2 (id identific\$5)	US-PGPUB; USPAT	OR	ON	2008/09/10 12:40

S64	226	(print near2 job) near5 user near2 (id identifi\$5)	US-PGPUB; USPAT	OR	ON	2008/09/10 12:40
S65	118	(print near2 job) near2 user near2 (id identifi\$5)	US-PGPUB; USPAT	OR	ON	2008/09/10 12:41
S66	84411	(print near2 job) near2 (includ\$3 having) user near2 (id identifi\$5)	US-PGPUB; USPAT	OR	ON	2008/09/10 12:42
S67	19	(print near2 job) near2 (includ\$4 having) near6 user near2 (id identifi\$5)	US-PGPUB; USPAT	OR	ON	2008/09/10 12:42
S68	13	S67 not S62	US-PGPUB; USPAT	OR	ON	2008/09/10 12:42
S69	2	(print near2 job) near2 (header) near6 user near2 (id identifi\$5)	US-PGPUB; USPAT	OR	ON	2008/09/10 12:51
S70	0	(print near2 job) near2 (header) near6 (ip near2 address)	US-PGPUB; USPAT	OR	ON	2008/09/10 12:52
S71	3	(print near2 job) near2 (header) with (ip near2 address)	US-PGPUB; USPAT	OR	ON	2008/09/10 12:52
S72	474	(print near2 job) with (user near3 ((id identifi\$) (ip near2 address)))	US-PGPUB; USPAT	OR	ON	2008/09/10 12:56
S73	10	(print near2 job) with (user near3 ((id identifi\$) near8(ip near2 address)))	US-PGPUB; USPAT	OR	ON	2008/09/10 12:56
S74	9	(print near2 job) with ((user near3 (id identifi\$)) near8 (ip near2 address))	US-PGPUB; USPAT	OR	ON	2008/09/10 12:56
S75	2673	((user near3 (id identifi\$)) near8 (ip near2 address))	US-PGPUB; USPAT	OR	ON	2008/09/10 12:58
S76	5	(print\$5 near2 job) near2 (setting mode) with (ip mac) near2 (address)	US-PGPUB; USPAT	OR	ON	2008/09/10 13:03
S77	118	(print\$5 near2 job) near5 (ip mac) near2 (address)	US-PGPUB; USPAT	OR	ON	2008/09/10 13:07
S78	58	S77 and (print\$5 near2 setting)	US-PGPUB; USPAT	OR	ON	2008/09/10 13:07
S79	2865	(ip mac) near3 (address) near5 (used near4 (id identifi\$4))	US-PGPUB; USPAT	OR	ON	2008/09/10 13:09
S80	181	(ip mac) near3 (address) near5 (used near4 (id identifi\$4) near2 user)	US-PGPUB; USPAT	OR	ON	2008/09/10 13:09
S81	141	(ip mac) near3 (address) near5 (used near4 (id identifi\$4) near user)	US-PGPUB; USPAT	OR	ON	2008/09/10 13:09
S82	5	(print\$5 near2 job) near5 (ip mac) near2 (address) near8 ((sender user client) near2 (id identifi\$5))	US-PGPUB; USPAT	OR	ON	2008/09/10 13:13
S83	1	(("5467434").PN.	USPAT	OR	OFF	2008/09/10 14:41
S84	1	(("20040212834").PN.	US-PGPUB; USPAT	OR	OFF	2008/09/10 15:18
S85	84	(ip mac) near2 (address) near5 defin\$5 near2 (location)	US-PGPUB; USPAT	OR	ON	2008/09/10 15:27
S86	456	(address) near2 (ip) near5 (identifi\$5) near2 (location)	US-PGPUB; USPAT	OR	ON	2008/09/11 14:10

S87	49	(address) near2 (ip) near5 (identif\$5) near2 (location) with (sender host client)	US-PGPUB; USPAT	OR	ON	2008/09/11 14:10
S88	41	(address) near2 (ip mac) near10 (floor room) near2 number	US-PGPUB; USPAT	OR	ON	2008/09/11 14:21
S89	1	("20010025307").PN.	US-PGPUB; USPAT	OR	OFF	2008/09/11 14:47
S90	1	("6,665,715").PN.	US-PGPUB; USPAT	OR	OFF	2008/09/11 15:02
S91	1	("20040046973").PN.	US-PGPUB; USPAT	OR	OFF	2008/09/11 15:05
S92	1	("6101316").PN.	US-PGPUB; USPAT	OR	OFF	2008/09/11 15:07
S93	1	("6101318").PN.	US-PGPUB; USPAT	OR	OFF	2008/09/11 15:07
S94	86	(paper near2 select\$5) near9 resolution	US-PGPUB; USPAT	OR	ON	2009/04/06 10:18
S95	0	chan near2 park and 358/ccls.	USPAT	OR	ON	2009/04/06 10:23
S96	150	chan near2 park and "358"/ccls.	USPAT	OR	ON	2009/04/06 10:23
S97	21	("5231452" "5457549" "5473351" "5483625" "5751433" "5751434" "5809367" "5845171" "5852462" "5971519" "6048116" "6104829" "6189993" "6291829" "6343846" "6364452" "6424429" "6457794" "6511148" "6654143" "6705717").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/04/06 10:24

4/6/09 3:30:19 PM

C:\Documents and Settings\cpark\My Documents\EAST\Workspaces\10650837(print job with identifier for print setting).wsp